



- ► Chip Type SMD package
- RoHS Compliant (Note 7 Exemption)
- Tape & Reel Packaging

ECS-CR2-A

SMD CERAMIC RESONATOR


The ECS-CR2-A Chip Type SMD ceramic resonator is an excellent low cost frequency control solution when absolute frequency accuracy is not important.

OPERATING CONDITIONS / ELECTRICAL CHARACTERISTICS

PART NUMBER *	PART NUMBER * FREQUENCY RANGE (MHz)		FREQUENCY STABILITY -20 ~ +80°C (%)	AGING FOR TEN YEARS (%)	ESR (Ω) MAX.	INSULATION RESISTANCE @ 10VDC	
ECS-CR2-□□.□□-A	8.00 ~ 13.00	± 0.5	± 0.3	± 0.3	40	100 M Ω Min.	
ECS-CR2-□□.□□-A	13.10 ~ 40.00	± 0.5	± 0.3	± 0.3 ± 0.3		100 M Ω Min.	

Complete part number to include frequency i.e. ECS-CR2-20.00-A-TR

PACKAGE DIMENSIONS (mm)



PIN CONNECTIONS					
#1	In/Out				
#2	Out/In				




Figure 2) Land Pattern

DIMENSIONS (mm)							
T1	T2	W1					
3.0 ± 0.2	0.7±0.2	4.1±0.2					

Figure 1) ECS-CR2-A Series - Top and Side Views

PART NUMBERING GUIDE: "Example" ECS-CR2-20.00-A-TR

CR2 = 8 ~ 13 MHz CR2 = 13.1 ~ 40 MHz Frequency | |20.00 = 20.00 MHz

- Version
|
A = 2 Pad Version

TR = Tape & Reel

Packaging



May 16, 2007

ECS, Inc. International 1105 South Ridgeview Road Olathe, KANSAS, 66062 USA www.ecsxtal.com

913-782-7787 1-800-237-1041 Fax: 913-782-6991

Mike Huennekens Director of Marketing and OEM Sales E-mail: mikeh@ecsxtal.com Phone: 1-800-237-1041

CERAMIC RESONATOR/FILTER

Application Information Request

Attention: All Customers

From: Mike Huennekens, Director of Marketing and OEM Sales

Subject: Ceramic Resonator Application Information Request

Disallowed:

Date:

Approved:

ECS is requesting that you complete the section below that will allow us to determine if the specific application is suitable for the ceramic resonator/filters that you have requested.

Ceramic Resonators/Filters, both surface mount and through-hole type, are a much different frequency control solution than that of a crystal based device. Not only are there "matching" issues to specific integrated circuits and processors with ceramic based piezoelectric components but for multiple reasons ceramics are not the most advantageous nor robust frequency control solution for certain applications.

In addition, ECS does not approve the use of its ceramic products in Automotive, Military, Avionics, Life Sustaining or Life Support systems or any other related medical application.

If the customer chooses to use this product in one or more of the noted applications without the written consent of ECS, Inc., ECS, Inc. shall be held harmless, and given release of liability and indemnification from claims of any nature.

Please complete the following and submit this form as soon as possible.

To be completed by ECS Inc., International											
Signature	Date										
Title											
Print You	ır Name										
Company	Name				**		m will be use complete				
	that the above information is true a sed in the restricted applications not		to the b	est of my l	knowled	dge and ac	knowledge	that EC	S will b	e held ha	rmless if this
	Application Details You Must Be Specific or this may be returned for more information.										
	End Customer										
	Has this part been ordered previously for this application?	Yes 🗌	No								
	Has this part already been approved for this application?	Yes 🗌	No								
	Estimated Annual Usage										
	ECS Part Number										

Please direct any further inquires to Brad Slatten at brads@ecsxtal.com or Carla Williams at carlaw@ecsxtal.com. We thank you for your understanding and patience in this process.

Approved By: