

UNIT OF MEASURE	A	B	C	D	E	LENGTH OVERALL	MAX. BUNDLE DIA.	MIN. TENSILE STRENGTH
INCHES	.180	.170	.098	.165	.041	4.04	.75	18 lbs.
MM	4.57	4.32	2.49	4.19	1.04	103.	19.1	8.165 kg.


UNIT OF MEASURE	F	G	H	J	L	W
INCHES	3.844	.320	.990	.033	.952	.290
MM	97.64	8.13	25.15	.84	24.18	7.37

APC ENGINEERING

JUL 13 1990

ISSUED BY *OCU*

$\pm .312$ (7.9 mm)



NOTES:

1. MOISTURIZED 1 TO 2.5% WATER.
2. PACKAGED IN HEAT SEALED 3 MIL POLYBAG WITH LABEL PER DWG 404707.
3. MILITARY NO. MS3368-5-E

CUSTOMER DRAWING UNPUBLISHED

6-608701-9	NATURAL 200 ITY34
1-608701-9	NATURAL 100 ITY34C

LOC	DWG SIZE	PART No.	DESCRIPTION	ITEM NO
D				

DIST	1	REVISION OF EACH ASSY NO. (WHEN BLANK, USE DWG REVISION)
		QTY. REQ'D. PER ASSY.

MATERIAL	HEAT TREAT	FINISH
NYLON 6/6		
DIMENSIONS ARE IN INCHES		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		
2 PL DEC \pm		
3 PL DEC $\pm .039$		
4 PL DEC \pm		
ANGLES \pm		
SURF TEXTURE: \checkmark		
REMOVE BURRS, BREAK SHARP EDGES, .015 R. MAX.		
DRAWN BY: <i>AD-TEK/VL</i>		DATE: 6/19/90
CHECK BY: <i>BJM 6/90</i>		RELEASE: <i>F. Hames 6/90</i>
AMP AMP INCORPORATED Harrisburg, Pa.		
NAME: IDENTIFICATION CABLE TIE 4 INCH		

✓ 0	ECN 062390	APP	DATE	SCALE: A	DRAWING No.: 608701	SHEET: 1 OF 1	REV.: C
-----	------------	-----	------	----------	---------------------	---------------	---------

THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN AMP PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM AMP INCORPORATED, HARRISBURG, PA.