

REVISIONS				
EC NO	DATE	REV	DESCRIPTION	CHANGER
	2016.12.07	A	INITIAL RELEASE.	DICK




TABLE			
PART NUMBER	L1	L2	TITLE
151330300	50±5	18REF	Pico-Clasp 3 Circuit 50MM
151330301	100±8	44REF	Pico-Clasp 3 Circuit 100MM
151330302	150±10	69REF	Pico-Clasp 3 Circuit 150MM
151330303	300±10	144REF	Pico-Clasp 3 Circuit 300MM
151330305	450±15	219REF	Pico-Clasp 3 Circuit 450MM
151330306	600±15	294REF	Pico-Clasp 3 Circuit 600MM

P/N:15133XXXX—MOLEX PN  
MOLEX

DETAIL A

NOTES

1. THIS PRODUCT MUST MEET 2011/65/EU ROHS COMPLIANCE.  
此产品需符合 2011/65/EU ROHS环保要求.
2. ELECTRICAL PERFORMANCE REFER TO ES-000.  
电气特性参考ES-000.
3. LABEL TEXT MUST BE 2mm MAX. IN HEIGHT WITH ARIAL FONT.  
标签字高最大2mm,字体ARIAL.

D	Blank label 12.7x35.5mm (WHT:12.7mm) HF		1
C	28AWG;PLATED;PVC;BK;OD=0.60MM;UL1571	A/R	
B	1.0 WtB Crimp Rec Term Chn, Tin Plating		6
A	1.0 W/B 1-Row Rec Hsg Positive Lock 3Ckt		2
ITEM	DESCRIPTION	L(MM)	Q'TY

WIRING CHART		
P1	P2	COLOR
1	3	BLACK
2	2	BLACK
3	1	BLACK

<b>QUALITY SYMBOLS</b> 	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				  <b>SEE TABLE</b>  <b>PRODUCT CUSTOMER DRAWING</b>					
	EC NO: 111343 DRWN: WLXIE CHK'D: DHUANG16 APPR: YXZOU	<b>GENERAL TOLERANCES (UNLESS SPECIFIED)</b> ANGULAR TOL ± °		<b>DIMENSION UNITS</b> MM				<b>SCALE</b> NTS	<b>SERIES</b> 201234	
		4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ±		<b>DRWN BY</b> WLXIE				<b>DATE</b> 2016/11/17		
		<b>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</b>		<b>CHK'D BY</b> DHUANG16				<b>DATE</b> 2016/12/05		
<b>APPR BY</b> YXZOU		<b>DATE</b> 2016/12/11		<b>DRAWING SIZE</b> A3		<b>THIRD ANGLE PROJECTION</b> 				
<b>RELEASE STATUS</b> P1		<b>RELEASE DATE</b> 12.12.2016 03:03:06		<b>DOCUMENT NUMBER</b> 2012341663		<b>DOC TYPE</b> PSD	<b>DOC PART</b> 000	<b>SHEET NUMBER</b> 1 OF 1		