




**CORE DIMENSIONS**

A	15.00 [.591]	+ 0.23 [.009]	-
B	6.55 [.258]	+ 0.10 [.004]	-
C	39.78 [1.566]	+ 0.51 [.020]	-
D	7.16 [.282]	+ 0.15 [.006]	-




**CASE DIMENSIONS:**

A	18.75 [.738]	+ REF.	-
B	6.75 [.266]	+ REF.	-
C	52.91 [2.083]	+ REF.	-
D	18.75 [.738]	+ REF.	-
E	3.24 [.128]	+ REF.	-

IMPEDANCE ( Z )			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	186 Ω	407 Ω	575 Ω
Minimum	- Ω	326 Ω	- Ω

Z vs. FREQUENCY (REF. ONLY)



AGILENT E4991A Impedance/Material Analyzer  
HP 16092A-Test Fixture. TEST REF. 4095

**UNCONTROLLED DOCUMENT**

NOTES:

- ASSEMBLED PART #: 28A0593-0A2
- CASE COLOR: BLACK-0A2.
- CASE FLAMMABILITY RATING: UL94 V-2.
- CASE MATERIAL: Halogen Free Nylon

DIMENSIONS ARE IN mm [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.		Laird		
H	UPDATED NOTE 3	09/15/10	JUN	PROJECT/PART NUMBER: <b>28A0593-0A2</b>		REV <b>H</b>	PART TYPE: FERRITE SNAP-ON	DRAWN BY: TMB
G	ADD NOTES 3 AND 4	01/27/09	JRK	DATE: 04/28/04	SCALE: N.T.S.	MATERIAL: <b>Ferrite</b>		
F	ADD MISSING DIM CALLOUTS "D & E" TO CASE UPDATE COMPANY LOGO	05/07/08	TMB	CAD # 28A0593-0A2-H	TOOL # -			
E	UPDATE 100MHz MINIMUM VALUE UPDATE COMPANY LOGO TOLERANCES TO REF VIEWS UPDATE NOTES	06/26/07	TMB					
D	REV CASE DIM C TO MATCH CASE PRINT	01/11/07	TMB					
REV	DESCRIPTION	DATE	INT					