

## Media module - FL SFP FE WDM20-A - 2702437

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Fast Ethernet SFP WDM module for transmission up to a maximum of 20 km on a single fiber with a wavelength of 1310/1550 nm.

### Product Description

SFP WDM module with a data transmission speed of 100 Mbps, a wavelength of 1310/1550 nm, and a maximum transmission length of 20 km.



### Key Commercial Data

Packing unit	1 STK
GTIN	 4 055626 189031
GTIN	4055626189031

### Technical data

#### Dimensions

Width	13.7 mm
Height	8.95 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 75 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C (non-condensing)

#### Function

Basic functions	SFP module as FO port
Status and diagnostic indicators	via a Factoryline device

#### Supply voltage

Supply voltage	3.3 V (via Factoryline switch)
Max. current consumption	300 mA
Current consumption	300 mA

#### General

Mounting type	Insert in SFP slot
---------------	--------------------

# Media module - FL SFP FE WDM20-A - 2702437

## Technical data

### General

Type AX	Factoryline devices with SFP slot
Net weight	33.1 g
Housing material	Metal

## Approvals

### Approvals

---

#### Approvals

RINA / DNV GL / LR / BSH

---


#### Ex Approvals

---

### Approval details

RINA		<a href="http://www.rina.org/en">http://www.rina.org/en</a>	ELE205816XG
------	-------------------------------------------------------------------------------------	-------------------------------------------------------------	-------------

DNV GL		<a href="http://exchange.dnv.com/tari/">http://exchange.dnv.com/tari/</a>	TAA00000YV
--------	--	---------------------------------------------------------------------------	------------

LR		<a href="http://www.lr.org/en">http://www.lr.org/en</a>	17/20056
----	-------------------------------------------------------------------------------------	---------------------------------------------------------	----------

BSH		<a href="http://www.bsh.de/de/index.jsp">http://www.bsh.de/de/index.jsp</a>	Nr. 966
-----	--	-----------------------------------------------------------------------------	---------

---

Phoenix Contact 2018 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>